

Name, address, and telephone number of

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 1 of 10

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: ABC Dry Chemical

Product Code(s) : MULTI-PURPOSE DRY CHEMICAL (56% MODEL 750)

Recommended use of the chemical and restrictions on use

: Fire Supression

No restrictions on use known.

Chemical family : Mixture

Name, address, and telephone number

of the supplier: the manufacturer: Refer to supplier

Steel Fire Equipment Ltd.

150 Superior Blvd

Mississauga, Ontario, Canada

L5T 2L2

Supplier's Telephone # : (905) 564-1500

24 Hr. Emergency Tel # : In case of transportation emergencies: (613) 996-6666 (CANUTEC)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Appearance: Light yellow.Odour: odourless

Most important hazards:

Direct eye contact may cause irritation. For further information, please refer to section 11 of the SDS. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. See Section 12 for more environmental information.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

Not required

Hazard pictograms: None required under U.S. OSHA HazCom 2012 and Canadian WHMIS 2015 regulations.

Hazard statement(s)

Not required

Precautionary statement(s)

Not required

Other hazards

Other hazards which do not result in classification:

Burning may produce irritating, toxic and obnoxious fumes. Avoid dust formation. If dusts are formed, dusts may be irritating to the eyes, skin and respiratory tract. May cause gastrointestinal irritation. If fine airbourne dusts are generated and inhaled, product presents a possible cancer hazard.

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 2 of 10

SAFETY DATA SHEET

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Crystalline silica, quartz	Quartz silica Crystallized silicon dioxide	14808-60-7	0.1 - 1.0

The remaining components are not hazardous or are below required disclosure limits. The Crystalline silica that is present in this product only contains < 0.025% respirable particles.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion: Do not induce vomiting. Never give anything by mouth to a person who is unconscious

or is having convulsions. Get medical attention if irritation develops and persists.

Inhalation : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical

personnel only. If breathing stops, provide artificial respiration. Get medical attention if

irritation develops and persists.

Skin contact : If on skin: Wash with plenty of water. If irritation or symptoms develop, seek medical

attention. Wash contaminated clothing before reuse.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: get medical

advice/attention.

Most important symptoms and effects, both acute and delayed

 Direct eye contact may cause slight or mild, transient irritation. Symptoms may include tearing, redness and discomfort.

Dust may irritate respiratory system. May cause coughing and breathing difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may

cause temporary redness.

Avoid dust formation. If fine airbourne dusts are generated and inhaled, product

presents a possible cancer hazard.

Indication of any immediate medical attention and special treatment needed

: Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Burning may produce irritating, toxic and obnoxious fumes.

Flammability classification (OSHA 29 CFR 1910.106)

: Not classified as flammable.

Hazardous combustion products

 Carbon oxides; Potassium oxides; Silicon oxides; Nitrogen oxides; irritating fumes and smoke

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters



Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2

Telephone: (905) 564 1500

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 3 of 10

SAFETY DATA SHEET

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions: Prevent product from entering drains, sewers, waterways and soil.

Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use inert, non-combustible absorbents to assist the pick up of material. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. For waste disposal, see Section 13 of the SDS.

Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None.

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing dust and fume. Avoid and control operations which create high vapor or dust concentrations. Avoid contact with skin, eyes and clothing. Protect from moisture. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling.

Conditions for safe storage :

Store in cool/well-ventilated place. Keep only in original container. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

Incompatible materials

: Strong oxidizing agents; Strong acids; Strong bases.



T==L FIRE

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 4 of 10

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIF	I TLV	OSHA PEL		
	<u>TWA</u>	STEL	<u>PEL</u>	<u>STEL</u>	
Crystalline silica, quartz	0.025 mg/m³ (respirable)	N/Av	0.1 mg/m³ (respirable) (final rule limit)	N/Av	

Exposure controls

Ventilation and engineering measures

: Provide adequate ventilation. Apply technical measures to comply with the

occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of

insufficient ventilation wear suitable respiratory equipment.

If airbourne concentrations are above the permissible exposure limit or are not known, Respiratory protection

use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection

specialists.

Skin protection Wear protective gloves. The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Wear sufficient clothing to prevent skin

contact.

Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields Eye / face protection

Ensure that eyewash stations and safety showers are close to the workstation location. Other protective equipment :

Other equipment may be required depending on workplace standards.

General hygiene considerations

Avoid breathing dust and fume. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Powder, Light yellow.

Odour odourless **Odour threshold** : N/Av Ha : 4-5

Melting/Freezing point : 190 (NH4H2PO4) ;280 (NH4)2SO4

Initial boiling point and boiling range

: N/Av N/Ap

Flash point Flashpoint (Method) : N/Ap Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not considered flammable.

Lower flammable limit (% by vol.)

N/Ap

Upper flammable limit (% by vol.)

: N/Ap

Oxidizing properties : None known. **Explosive properties** : Not explosive



RS STEEL FIRE Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2 Telephone: (905) 564 1500

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 5 of 10

SAFETY DATA SHEET

Vapour pressure : 1.41 mm Hg

Vapour density : N/Av Relative density / Specific gravity

: 1.80 (NH4H2PO4) at 25 C

Solubility in water : insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av

Decomposition temperature: 100-120°C (212-248°F)

Viscosity : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : The product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Protect from moisture. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Strong acids; Strong bases.

Hazardous decomposition products

: Carbon oxides; Potassium oxides; Silicon oxides. Refer also to hazardous combustion

products, Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Mild respiratory irritant. Symptoms may include coughing and sneezing.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.



ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 6 of 10

SAFETY DATA SHEET

Sign and symptoms skin

Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may

cause temporary redness.

Sign and symptoms eyes

Direct eye contact may cause slight or mild, transient irritation. Symptoms may include

stinging and tearing.

Potential Chronic Health Effects

: Prolonged or repeated inhalation of dusts may cause lung disease. Contains

crystalline silica; prolonged exposure by inhalation of particles can cause serious lung

damage, including silicosis.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1%

are mutagenic or genotoxic.

Carcinogenicity : No component of this product present at levels greater than, or equal to, 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH, IARC, OSHA, or NTP.

This product contains Crystalline silica - Quartz. Crystalline silica - Quartz is classified as carcinogenic by IARC (Group 1), ACGIH (Group A2), NTP (Group 1) and OSHA (OSHA Select carcinogen). These designations are only applicable to very fine or respirable particulates of Crystalline silica - Quartz. This product contains less than the

cutoff amount that would be needed for the classifications to apply.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

Not expected to be a skin or respiratory sensitizer.

Specific target organ effects:

According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: Not classified for acute toxicity based on available data.

There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC₅₀(4hr)	LDe	ı	
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)	
Crystalline silica, quartz	N/Av	N/Av	N/Av	

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. Not classified for hazards to the environment. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

See the following tables for individual ingredient ecotoxicity data.



Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2

Telephone: (905) 564 1500

ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 7 of 10

SAFETY DATA SHEET

Ecotoxicity data:

Ingrediente	CACNI	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Тох	oxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor	
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.	

<u>Ingredients</u>	CAS No	Toxicity to Algae					Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor					
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.					

Persistence and degradability

The product itself has not been tested. Contains: Inorganic substances in powdered form. The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulation potential

The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Crystalline silica, quartz (CAS 14808-60-7)	N/Ap	N/Ap

Mobility in soil

: The product itself has not been tested.

Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way. Empty containers retain residue. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 8 of 10

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	\bigotimes
49CFR/DOT Additional information	None.				
TDG	None.	Not regulated.	not regulated	none	\bigotimes
TDG Additional information	None.		•		

Special precautions for user: Appropriate advice on safety must accompany the package.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture,

according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

la sur d'auta	TSCA TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	CAS#	CAS # Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Crystalline silica, quartz	14808-60-7	Yes	N/Ap	N/Ap	No	No	

SARA TITLE III: Sec. 311 and 312 SDS Requirements, 40 CFR 370 Hazard Classes: Not a hazard under normal conditions of use. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Crystalline silica, quartz	14808-60-7	Yes	Cancer (airborne particles of respirable size)	No	Yes	Yes	Yes	Yes	Yes



ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 9 of 10

SAFETY DATA SHEET

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Crystalline silica, quartz	14808-60-7	238-878-4	Present	Present	(1)-548	KE-29983	Present	HSR003125

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EC50: Effective Concentration 50%

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer IECSC: Inventory of Existing Chemical Substances

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts

mppcf: million particles per cubic foot

MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey NL: Not listed

NOEC: No observable effect concentration NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit


PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet





ABC Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 04/19/2018

Page 10 of 10

SAFETY DATA SHEET

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2016

2. International Agency for Research on Cancer Monographs, searched 2017

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases,

2017(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title İII List of Lists - 2017 version.6. California Proposition 65 List - 2017 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal.2017.

Preparation Date (mm/dd/yyyy)

04/19/2018

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 0 Reactivity: 0

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 1 Flammability0 Instability: 0 Special Hazards:

Prepared for:

Steel Fire Equipment 150 Superior Blvd. Mississauga, ON, Canada

L5T 2L2

Direct all enquiries to: Steel Fire Equipment



Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Steel Fire Equipment LTD and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Steel Fire Equipment LTD expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Steel Fire Equipment LTD.

END OF DOCUMENT