

SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 1 of 11

## SAFETY DATA SHEET

## **SECTION 1. IDENTIFICATION**

Product identifier used on the label

: Purple K (PKP) Dry Chemical

Product Code(s) : Potassium Bicarbonate, KDC, PK

Recommended use of the chemical and restrictions on use

: Fire Supression

No restrictions on use known.

Chemical family : Mixture

Name, address, and telephone number of

the supplier:

Name, address, and telephone number of

the manufacturer:

Refer to supplier

Steel Fire Equipment Ltd.

150 Superior Blvd Mississauga, Ontario, Canada

L5T 2L2

Supplier's Telephone # : (905) 564-1500

24 Hr. Emergency Tel # : In case of transportation emergencies: (613) 996-6666 (CANUTEC)

#### SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the chemical

Appearance: Powder, Lavender/purple. Odour: odourless

Most important hazards:

Causes eye irritation. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. See Section 12 for more environmental information.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification: Eye damage/irritation - Category 2B

#### Label elements

Signal Word

Warning!

Hazard pictograms: None required under U.S. OSHA HazCom 2012 and Canadian WHMIS 2015 regulations.

Hazard statement(s)

Causes eye irritation.

Precautionary statement(s)

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.



Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2

Telephone: (905) 564 - 1500

Purple K (PKP) Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 2 of 11

## SAFETY DATA SHEET

#### Other hazards

Other hazards which do not result in classification:

Burning may produce irritating, toxic and obnoxious fumes. Avoid dust formation. If dusts are formed, dusts may be irritating to the eyes, skin and respiratory tract. May cause gastrointestinal irritation. If fine airbourne dusts are generated and inhaled, product presents a possible cancer hazard.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Potassium bicarbonate	Potassium hydrogencarbonate	298-14-6	93.22
Crystalline silica, quartz	Quartz silica Crystallized silicon dioxide	14808-60-7	0.042-0.42

The remaining components are not hazardous or are below required disclosure limits.

The Crystalline silica present in this product only contains <0.041% respirable particles.

#### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

Ingestion

: Do not induce vomiting. Never give anything by mouth to a person who is unconscious or is having convulsions. Get medical attention if irritation develops and persists.

Inhalation

: If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. Get medical attention if

irritation develops and persists.

Skin contact

Eye contact

: If on skin: Wash with plenty of water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical

advice/attention.

#### Most important symptoms and effects, both acute and delayed

Causes eye irritation. Direct eye contact may cause slight or mild, transient irritation. Symptoms may include tearing, redness and discomfort.

Dust may irritate respiratory system. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may

cause temporary redness.

Avoid dust formation. If fine airbourne dusts are generated and inhaled, product presents a possible cancer hazard.

#### Indication of any immediate medical attention and special treatment needed

: Provide general supportive measures and treat symptomatically.

# SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

## Special hazards arising from the substance or mixture / Conditions of flammability

Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Burning may produce irritating, toxic and obnoxious fumes.



Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2 Telephone: (905) 564 - 1500

Purple K (PKP) Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 3 of 11

## SAFETY DATA SHEET

#### Flammability classification (OSHA 29 CFR 1910.106)

: Not classified as flammable.

#### **Hazardous combustion products**

 Carbon oxides; Potassium oxides; Silicon oxides; Nitrogen oxides; irritating fumes and smoke

#### Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

#### Special fire-fighting procedures

: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

: Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

# **Environmental precautions**

: Prevent product from entering drains, sewers, waterways and soil.

# Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use inert, non-combustible absorbents to assist the pick up of material. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. For waste disposal, see Section 13 of the SDS.

## Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None.

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

## SECTION 7. HANDLING AND STORAGE

# Precautions for safe handling


: Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing dust and fume. Avoid and control operations which create high vapor or dust concentrations. Avoid contact with skin, eyes and clothing. Protect from moisture. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling. Empty containers retain material residue.

#### Conditions for safe storage

Store in cool/well-ventilated place. Keep only in original container. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

# Incompatible materials

: Strong oxidizing agents; Strong acids; Strong bases.





SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 4 of 11

## SAFETY DATA SHEET

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH TLV OSHA PEL			
	<u>TWA</u>	STEL	<u>PEL</u>	STEL
Potassium bicarbonate	N/Av	N/Av	N/Av	N/Av
Crystalline silica, quartz	0.025 mg/m³ (respirable)	N/Av	0.1 mg/m³ (respirable) (final rule limit)	N/Av

## **Exposure controls**

Ventilation and engineering measures

: Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear

suitable respiratory equipment.

**Respiratory protection**: If airbourne concentrations are above the permissible exposure limit or are not known, use

NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or

CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

**Skin protection**: Wear protective gloves. The suitability for a specific workplace should be discussed with the

producers of the protective gloves. Wear sufficient clothing to prevent skin contact.

**Eye / face protection**: Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields

Other protective equipment : Ensure that eyewash stations and safety showers are close to the workstation location.

Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing dust and fume. Avoid contact with skin, eyes and clothing. Wash thoroughly

after handling. Remove and wash contaminated clothing before re-use. Handle in

accordance with good industrial hygiene and safety practice.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**: Powder, Lavender/ purple

Odour : odourless
Odour threshold : N/Av

**pH** : 9-10 (10% solution)

Melting/Freezing point : 100-120°C (212-248°F) Potassium Bicarbonate

Initial boiling point and boiling range

: N/Av

Flash point : N/ApFlashpoint (Method) : N/ApEvaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not considered flammable.


Lower flammable limit (% by vol.)

: N/Ap

Upper flammable limit (% by vol.)

: N/Ap

Oxidizing properties : None known.





SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 5 of 11

## SAFETY DATA SHEET

Explosive properties: Not explosiveVapour pressure: 1 mm HgVapour density: N/Av

Relative density / Specific gravity

: 2.16

Solubility in water : insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av

**Decomposition temperature**: 100-120°C (212-248°F)Potassium Bicarbonate

Viscosity : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: No additional information.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity : The product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

**Conditions to avoid**: Protect from moisture. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Strong acids; Strong bases.

Hazardous decomposition products

: Carbon oxides; Potassium oxides; Silicon oxides. Refer also to hazardous combustion

products, Section 5.

# SECTION 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

#### **Potential Health Effects:**

#### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Mild respiratory irritant. Symptoms may include coughing and sneezing.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.



SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 6 of 11

## SAFETY DATA SHEET

Sign and symptoms skin

Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may

cause temporary redness.

Sign and symptoms eyes

Causes eye irritation. Direct eye contact may cause slight or mild, transient irritation.

Symptoms may include stinging and tearing.

**Potential Chronic Health Effects** 

Prolonged or repeated inhalation of dusts may cause lung disease. Contains crystalline

silica; prolonged exposure by inhalation of particles can cause serious lung damage,

including silicosis.

Mutagenicity : No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity : No component of this product present at levels greater than, or equal to, 0.1% is identified

as a carcinogen or potential carcinogen by ACGIH, IARC, OSHA, or NTP.

This product contains Crystalline silica - Quartz. Crystalline silica - Quartz is classified as carcinogenic by IARC (Group 1), ACGIH (Group A2), NTP (Group 1) and OSHA (OSHA Select carcinogen). These designations are only applicable to very fine or respirable particulates of Crystalline silica - Quartz. This product contains less than the cutoff amount

that would be needed for the classifications to apply.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or

repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

None known or reported by the manufacturer.

Toxicological data

: Not classified for acute toxicity based on available data.

There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC50(4hr)	LD50		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Potassium bicarbonate	>4.88 mg/L (4.5hours) (dust) (No mortality)	>2000 mg/kg (No mortality)	>2000 mg/kg (No mortality)	
Crystalline silica, quartz	N/Av	N/Av	N/Av	

#### Other important toxicological hazards

: None known or reported by the manufacturer.

## SECTION 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. Not classified for hazards to the environment. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

See the following tables for individual ingredient ecotoxicity data.



SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 7 of 11

# SAFETY DATA SHEET

#### Ecotoxicity data:

<u>Ingredients</u>	0.10.11	Toxicity to Fish				
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Potassium bicarbonate	298-14-6	1300 mg/L (Rainbow trout)	N/Av	None.		
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Potassium bicarbonate	298-14-6	630 mg/L Ceriodaphnia (water flea)	N/Av	None.		
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Potassium bicarbonate	298-14-6	N/Av	N/Av	None.		
Crystalline silica, quartz	14808-60-7	N/Av	N/Av	None.		

## Persistence and degradability

: The product itself has not been tested. Contains: Inorganic substances in powdered form. The methods for determining biodegradability are not applicable to inorganic substances.

#### **Bioaccumulation potential**

: The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Potassium bicarbonate (CAS 298-14-6)	N/Ap	N/Ap
Crystalline silica, quartz (CAS 14808-60-7)	N/Ap	N/Ap

Mobility in soil

: The product itself has not been tested.

## Other Adverse Environmental effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.


# SECTION 13. DISPOSAL CONSIDERATIONS

#### **Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way. Empty containers retain residue. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# **Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.





SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 8 of 11

## SAFETY DATA SHEET

**RCRA** 

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

# **SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	$\bigotimes$
49CFR/DOT Additional information	None.				
TDG	None.	Not regulated.	not regulated	none	$\otimes$
TDG Additional information	None.				

Special precautions for user

: Appropriate advice on safety must accompany the package.

**Environmental hazards** 

: This product does not meet the criteria for an environmentally hazardous mixture, according

to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

## **SECTION 15 - REGULATORY INFORMATION**

## **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

la and disease	TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely Hazardous	Specific Toxic Chemical		
ingredients	Ingredients CAS # Inventory Quantity(RC	Quantity(RQ) (40 CFR 117.302):	/ `   300;	Toxic Chemical	de minimus Concentration		
Potassium bicarbonate	298-14-6	Yes	N/Ap	N/Ap	No	N/Ap	
Crystalline silica, quartz	14808-60-7	Yes	N/Ap	N/Ap	No	N/Ap	

SARA TITLE III: Sec. 311 and 312 SDS Requirements, 40 CFR 370 Hazard Classes: Not a hazard under normal conditions of use. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

## **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:



SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 9 of 11

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
	OAO #	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Potassium bicarbonate	298-14-6	No	N/Ap	No	No	No	No	No	No
Crystalline silica, quartz	14808-60-7	Yes	Cancer (airborne particles of respirable size)	No	Yes	Yes	Yes	Yes	Yes

#### **Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product does not contain any substances listed on the NPRI.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

## **International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Potassium bicarbonate	298-14-6	206-059-0	Present	Present	(1)-153	KE-29127	Present	May be used as a single component chemical under an appropriate group standard.
Crystalline silica, quartz	14808-60-7	238-878-4	Present	Present	(1)-548	KE-29983	Present	HSR003125

## **SECTION 16. OTHER INFORMATION**

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of

1980

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EC50: Effective Concentration 50%

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency

HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IECSC: Inventory of Existing Chemical Substances

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts

mppcf: million particles per cubic foot



SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 10 of 11

## SAFETY DATA SHEET

MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey NL: Not listed

NOEC: No observable effect concentration NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values

TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &
  - Biological Exposure Indices for 2016 2. International Agency for Research on Cancer Monographs, searched 2017
  - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases,

2017(Chempendium, HSDB and RTECs).

- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists 2017 version.
- 6. California Proposition 65 List 2017 version.
- 7. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2017.

## Preparation Date (mm/dd/yyyy)

: 07/21/2017

# Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating : \*- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 0 Reactivity: 0

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 1 Flammability:0 Instability: 0 Special Hazards:

# Prepared for:

Steel Fire Equipment 150 Superior Blvd. Mississauga, ON, Canada

L5T 2L2

Direct all enquiries to: Steel Fire Equipment



#### Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com





Steel Fire Equipment Ltd. 150 Superior Blvd Mississauga, Ontario, Canada, L5T 2L2 Telephone: (905) 564 - 1500

Purple K (PKP) Dry Chemical

SDS Preparation Date (mm/dd/yyyy): 07/21/2017

Page 11 of 11

# **SAFETY DATA SHEET**

# **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Steel Fire Equipment LTD and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Steel Fire Equipment LTD expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Steel Fire Equipment LTD.

END OF DOCUMENT